

TECHNICAL DATA SHEET

BRG102 NITROGEN-NF GLOVE



DESCRIPTION

Giving excellent dry, wet and outstanding oily grip, Blackrock's Nitrogen glove features an ultra-thin liner for outstanding dexterity, plus Dextrafit technology that stretches and flexes to the contours of your hand.

SIZES

UK 7-11

STANDARDS

EN388 3121X
EN420

KEY FEATURES

- Nitrile foam palm coating for outstanding oily grip
- Ultra-lightweight 18 gauge nylon and spandex liner
- DextraFit technology flexes to the contours of your hand for a perfect fit



DEXTRAFIT TECHNOLOGY

Blackrock's DextraFit technology stretches and flexes the liner to the contours of your hand for the perfect fit, giving superb dexterity and maximum comfort - especially important during extended wear.

TECHNICAL DATA SHEET

MATERIALS

- Nitrile foam palm
- 18 gauge nylon & stretch fit liner


TYPICAL INDUSTRIES

- Engineering
- Warehousing
- Construction

EN388



4 1 2 1 X



MARKINGS

EN 388:2016 is a European standard which specifies requirements, test methods, marking and information for protective gloves against the mechanical risk of abrasion, blade cut, tear, puncture and, if applicable, impact.

BACK OF HAND

The mechanical hazard rating can be found on the glove back of hand.



PRODUCT DETAILS

CODE	SIZE	COLOUR	BARCODES	PACKAGING
BRG10207	7/Small	Red	5019200293810	1 pair packed into a clear polybag with user information sheet Inner pack quantity: 12 Outer carton quantity: 120
BRG10208	8/Medium	Red	5019200293827	
BRG10209	9/Large	Red	5019200293834	
BRG10210	10/XL	Red	5019200293841	
BRG10211	11/2XL	Red	5019200293858	